RAPA

MANUFACTURER OF REFRIGERATION EQUIPMENT






REFRIGERATION EQUIPMENT
FOR THE FOOD INDUSTRY

Vending machine
Refrigerated and heated counters / Refrigerated cabinets
Confectionery display cases / Bakery shelving / Refrigerated displays



rapa.pl/en

RAPA sp. j. • Ceramiczna 9, 20-149 Lublin, Poland
+48 790 444 619 • rapa@rapa.lublin.pl

str. 4-7  Vending machine	str. 8-9  Upright refrigerated cabinets standard	str. 10-11  Additional equipment and accessories for upright refrigerated cabinets	str. 12  Stainless steel cabinets Upright freezer
str. 13  Specialist coolers	str. 14  Heated serve over counters	str. 14-15  Refrigerated counters	str. 16  Additional equipment and accessories for refrigerated counters
str. 17  Neutral cash counters	str.18-24  Confectionery display cases	str. 25  Neutral Confectionery cash counters	str. 25  Bakery shelving Shop shelving
str. 26-28  Multideck refrigerated displays	str. 29  Refrigerated island	str. 30  Stainless steel tables	str. 31  Equipment sets

Whether you run a grocery shop, butcher's shop, pastry shop, bakery or petrol station, RAPA equipment ensures the best storage conditions for your assortment!

ecology



economy



energy efficiency



flexibility



MANUFACTURER OF REFRIGERATION EQUIPMENT

RAPA – experience that builds trust


For over 50 years, we've been perfecting the art of refrigeration. For 30 years, we've been manufacturing reliable cooling equipment.
We operate in the refrigeration industry, providing reliable solutions for food, gastronomy, confectionery, hospitality and floristry sectors.

Our factory in Lublin is a place where tradition meets modernity — we design and manufacture refrigeration, heating, and freezing equipment, catering tables, and neutral complementing furniture.

What sets us apart are:
- **Precision workmanship**
- **High reliability**
- **Modern design and functionality**
- **Energy efficiency**

Thanks to the manufacturer's professional service advice and our openness to the individual needs of customer, we have earned the trust of hundreds of companies in Poland and abroad.

At RAPA, we implement inverter technology that reduces operating costs, lowers energy bills and increases energy efficiency. We are setting new standards across Europe – from Sardinia, through France and the Netherlands, to Norway.






Vending machine / Modern Retail

In response to the dynamic growth of the self-service retail market, we have developed modern vending machines designed for the sale of food products. These solutions combine our many years of technological expertise with the growing expectations of the food retail sector and new sales opportunities.


Our solutions are designed to meet the changing needs of the market and business owners. The modular design allows the number of compartments to be selected according to the specific product range, while independent temperature control in each module ensures that storage conditions can be adjusted to different product categories.

Vending Machines RAPA - Sales without time or location restrictions

One of the biggest barriers to business growth is limited opening hours and staff availability. Vending machines help overcome these limitations. They operate 24/7, including Sundays, public holidays and overnight hours, giving customers access to products whenever they need them.

The flexibility to install vending machines in multiple locations allows businesses to expand their brand presence, reach new customers and grow their sales network without the costs associated with renting traditional retail premises or employing additional staff.

Advantages



Your vending machine is operated via a 15-inch touchscreen with an intuitive, easy-to-use application.



You have the option to choose your own configuration. ou can select large cooling compartments to best match your needs.



Each cooling module lets you freely adjust the temperature, allowing you to create the perfect conditions for any product — no matter the season.




The vending machine comes standard with tinted side glass panels that protect from weather conditions.



The illuminated lightbox (23 cm or 36 cm high) can be customized to match your brand colors or personal preferences.



Your flower vending machine can be fully personalized — wrap it with custom graphics designed just for you.



Hinged doors make it easy to place large products into the modules.



Illuminated advertising light boxes and additional equipment tailored to your needs.



Customize the interior of your vending machine to suit your style. We offer a wide selection of RAL colors to choose from.

VENDING MACHINES - TECHNOLOGY THAT KEEPS PRODUCTS COOL AND SALES MOVING

THE PERFECT FREE-STANDING DEVICE FOR OUTDOOR AREAS AND SHOPPING ARCADES

- self-service machine
- round-the-clock revenue
- low investment cost
- low energy consumption
- polish manufacturer
- customization of the machine
- business diversification
- service consulting directly from the manufacturer

Illuminated light box
standard height options:
23 cm or 36 cm

TRANSPORT AND INSTALLATION
DIRECTLY FROM THE MANUFACTURER

WARRANTY - 2 years warranty
INCLUDED

CUSTOMIZATION
INCLUDED

Surveillance camers
as standard

Choose the number of **compartments tailored** to your needs



Control panel
15-inch
touchscreen display

LED lighting

Housing and interior painted in color
of your choice
from the RAPA palette

from 1 to 5 cooling modules
(more modules
in individual offer)

Temperature
monitoring

Optionally, you can order rectangular side panels
and a rear light box to form the canopy of the vending machine,
as well as illuminated round light boxes for the front or rear of the unit.







INVERTER

A reliable cooling system that saves energy.

CHOOSE AS MANY MODULES AS YOU NEED

CHOOSE CONVENIENCE FOR YOU AND YOUR CUSTOMERS

Each cooling module lets you freely adjust the temperature, allowing you to create the perfect conditions for any product — no matter the season.



width 1247 mm
depth 1564 mm
height 2560 mm



width 2072 mm
depth 1564 mm
height 2560 mm



width 2697 mm
depth 1564 mm
height 2560 mm



width 1247 mm
depth 1564 mm
height 2560 mm



width 3520 mm
depth 1564 mm
height 2560 mm

SELECT MACHINE VARIANT
Chambers in vending machines

customization of the machine


Standard compartment layouts for RAPA automated systems: compartment dimensions · 8 layouts · 16 types of compartments

Module 625



K2 standard
single-column · 2 compartments

A	517 × 851 × 436 mm	1 pc.
B	517 × 766 × 436 mm	1 pc.



K3 standard
single-column · 3 compartments

A	517 × 592 × 436 mm	1 pc.
B	517 × 498 × 436 mm	1 pc.
C	517 × 507 × 436 mm	1 pc.



K4 standard
single-column · 4 compartments

A	517 × 463 × 436 mm	1 pc.
B	517 × 367 × 436 mm	2 pc.
C	517 × 378 × 436 mm	1 pc.



K12 6x2
multi-column · 12 compartments


A	259 × 240 × 429 mm	12 pc.

Modules 825



K6 3x2
multi-column · 6 compartments

A	400 × 500 × 429 mm	3 pc.
B	317 × 500 × 429 mm	3 pc.




K24/S3
multi-column · 27 compartments, including 3 drawers

A	238 × 141 × 429 mm	24 pc.
B	188 × 195 × 429 mm szuflada, 4 przegródki	3 pc.



K27 9x3
multi-column · 27 compartments

A	209 × 153 × 429 mm	18 pc.
B	300 × 153 × 429 mm	9 pc.



K28 8x3/2x2
multi-column · 28 compartments

A	238 × 141 × 429 mm	24 pc.
B	357 × 141 × 429 mm	4 pc.

REFRIGERATED CABINETS





RAPA company offers a wide range of **upright refrigerated backroom cabinets** that work best in **the storage area. They are perfect for kitchen, restaurant and bakery facilities, or a pastry shop**. We also offer devices designed for **the medical and pharmaceutical industries**.

The range also includes single, **double and four-sided** glazed refrigerated cabinets, ideal for good product display while maintaining the best cooling. Cakes or delicatessen products as well as beverages are perfectly presented in them.

The units are available with single **hinged doors** (single compartment) and **double hinged doors** (double compartment) with horizontal division.

There are also versions with **sliding doors** (double chamber).

INVERTER

Save energy with inverter technology!

Devices equipped with an inverter engine are characterized with: **lower electricity consumption** and **quiet operation of the compressor**.

CONTACT CUSTOMER SERVICE AND ASK ABOUT MODELS WITH INVERTER
Devices with inverter has a dynamic cooling system (fans)

UPRIGHT REFRIGERATED CABINETS WITH BOTTOM MOUNTED UNIT



models **Z** *ecoline* / standard

cm w. 62,5 / 72,5 / 82,5
d. 73 / h. 200

cm w. 120 / 140 / 160
d. 73 / h. 200



model **ZR** *ecoline* / standard

cm w. 120 / 140 / 160
d. 74,5 / h. 198



model **Z/2D** *ecoline* / standard

cm w. 62,5 / 72,5 / 82,5
d. 73 / h. 200



model **Z/3D** *ecoline* / standard

cm w. 120 / 140 / 160
d. 73 / h. 200

UPRIGHT REFRIGERATED CABINETS WITH TOP MOUNTED UNIT



ecoline / standard
models **Z/AG**

cm w. 62,5 / 72,5 / 82,5
d. 73 / h. 202

cm w. 120 / 140 / 160
d. 73 / h. 202



ecoline / standard
model **ZR/AG**

cm w. 120 / 140 / 160
d. 74,5 / h. 202



ecoline / standard
model **Z/AG/2D**

cm w. 62,5 / 72,5 / 82,5
d. 73 / h. 202



ecoline / standard
model **Z/AG/3D**

cm w. 120 / 140 / 160
d. 73 / h. 202

UPRIGHT REFRIGERATED CABINET WITH TOP MOUNTED UNIT FOR 21 CONTAINERS EURO 2



model **21-E2** *ecoline* / standard

cm w. 160 / d. 80 / h. 202

CARGO REFRIGERATED CABINETS SERIES OF SPECIALISED TRANSPORT CABINETS



model **CARGO**

mm w. 780 / d. 1190 / h. 1340 / 2000

The Cargo cabinet was developed with the **food, pharmaceutical and medical** industries in mind. As a support for transport and logistics.

ONE SIDE GLAZED CABINETS WITH BOTTOM MOUNTED UNIT





models **S** *ecoline* / standard

cm w. 62,5 / 72,5 / 82,5
d. 72 / h. 200

cm w. 120 / 140 / 160
d. 72 / h. 200



model **SR** *ecoline* / standard

cm w. 120 / 140 / 160
d. 74,5 / h. 198



model **S/2D** *ecoline* / standard

cm w. 62,5 / 72,5 / 82,5
d. 72 / h. 200



model **S/3D** *ecoline* / standard

cm w. 120 / 140 / 160
d. 72 / h. 200

ONE SIDE GLAZED CABINETS WITH TOP MOUNTED UNIT





ecoline / standard
models **S/AG**

cm w. 62,5 / 72,5 / 82,5
d. 75 / h. 202

cm w. 120 / 140 / 160
d. 75 / h. 202



ecoline / standard
model **SR/AG**

cm w. 120 / 140 / 160
d. 79 / h. 202



ecoline / standard
model **S/AG/2D**

cm w. 62,5 / 72,5 / 82,5
d. 75 / h. 202



ecoline / standard
model **S/AG/3D**

cm w. 120 / 140 / 160
d. 75 / h. 202

FOUR SIDE GLAZED CABINETS / BOTTOM MOUNTED UNIT



model **4S/NW/W/BP**

cm w. 120 / 140 / 160
d. 72 / h. 200

TWO SIDES GLAZED CABINETS WITH TOP MOUNTED UNIT





models **2S/AG/1D** *ecoline* / standard

cm w. 62,5 / 72,5 / 82,5
d. 81 / h. 202

cm w. 120 / 140 / 160
d. 81 / h. 202



model **2SR/AG/1D** *ecoline* / standard

cm w. 120 / 140 / 160
d. 78 / h. 202

SINGLE GLAZED CABINETS WITH BOTTOM-MOUNTED AGGREGATE with dynamic cooling system as standard



model **SR/WH**

cm w. 120 / 140 / 160
d. 74,5 / h. **219**



model **SR/WH/BP**

cm w. 120 / 140 / 160
d. 74,5 / h. **219**

TWO SIDES GLAZED CABINETS WITH BOTTOM MOUNTED UNIT





models **2S** *ecoline* / standard

cm w. 62,5 / 72,5 / 82,5
d. 72 / h. 200

cm w. 120 / 140 / 160
d. 72 / h. 200



model **2S2R** *ecoline* / standard

cm w. 120 / 140 / 160
d. 76 / h. 198



models **2S/1D** *ecoline* / standard

cm w. 62,5 / 72,5 / 82,5
d. 67,5 / h. 198



cm w. 120 / 140 / 160
d. 67,5 / h. 198



model **2SR** *ecoline* / standard

cm w. 120 / 140 / 160
d. 74 / h. 200

A DYNAMIC COOLING SYSTEM CAN BE FITTED ON SELECTED MODELS

- **Z 825/AG/W,**
  Z 1400/W, Z 1600/W
  Z 825/AG/W *ecoline*,
  Z 1400/W *ecoline*,
  Z 1600/W *ecoline*,
- **the Cargo model** has a dynamic cooling system fitted as standard

- **S** single-chamber / double-chamber AD 3 cl., 4 cl. / AG 3 cl., 4 cl.
  SR double-chamber AD 3 cl., 4 cl. / AG 3 cl., 4 cl.
  2S single-chamber AD 3 cl., 4 cl. double-chamber AD 3 cl.
  2S/1D single-chamber / double-chamberAD 3 cl., 4 cl.
  / single-chamber AG 3 cl., 4 cl. double-chamber AG 3 cl.
  2SR AD 3 cl. double-chamber ,
  2SR/1D AD 3 cl., 4 cl / AG 3 cl. double-chamber
  2S2R AD 3 cl. double-chamber
- **SR/WH** i **SR/WH/BP** models has a dynamic cooling system as standard

STANDARD MODELS

- Housing painted in white colour from the RAPA colour chart

ecoline SERIES MODELS AND 1D MODELS

- Housing painted in colour chosen from the RAPA colour chart


ADDITIONAL EQUIPMENT AND ACCESSORIES - REFRIGERATED CABINETS




Ribbed plasticised standard shelves
- white



Ribbed plasticised dense shelves
- white




Perforated pad to be applied on standard shelf - made of grinded stainless steel



Solid stainless steel shelves



Painted solid shelves - made of steel powder-coated




Shelf edge strip
- transparent



Bar for hooks type S
- cabinets single-chamber / double-chamber



Basis for EURO 2 containers - applicable to cabinets of the widths of 825 mm and 1600 mm




Shelf support



Interior of double-chamber upright cabinet without partition



Adaptation of the device for GN containers (1/1, 1/2, 1/3, 2/3) applicable to upright refrigerated cabinets models Z-825 / Z-1600 (without a fan)



Guides for GN containers

ADDITIONAL EQUIPMENT AND ACCESSORIES - REFRIGERATED CABINETS



Painting of housing in colour from the RAPA colour chart or individual RAL colour chosen by customer.




Lock for hinged door
- cabinets single-chamber / double-chamber



Lock for sliding door



LED lighting - meat




LED lighting - warm



LED lighting - cold



Set of 4 wheels with regulated foot
-applicable to double-chamber upright refrigerated cabinets



Pollen filter
- reusable



USB temperature recorder
- wireless



Inverter compressor



Fan assisted cooling



Open door sound alarm

REFRIGERATED CABINETS MADE OF STAINLESS STEEL

Kitchens and any other place that has to do with storing and processing food, such as butcher's shops and factories, are bound by strict hygiene rules, which are an absolute must if we want to run our business successfully. From this point of view, it is extremely important to furnish such space in a way that will make it easy to keep it clean.

Stainless steel is the ideal solution in this respect. First of all, its structure makes it a non-absorbent material and all impurities remain only on its surface, and thus are easy to remove, which prevents the development of undesirable - especially in contact with food - bacteria, viruses and fungi.

SAMPLE UPRIGHT REFRIGERATED CABINETS WITH FINISH MADE OF STAINLESS STEEL



Z/NW model

R-290 / *ecoline* / standard
interior made of „mirror" stainless steel



Z/AG/2N model

R-290 / *ecoline* / standard
interior made of „mirror" stainless steel
exterior made of grinded stainless steel



S/2N model

R-290 / *ecoline* / standard
interior made of „mirror" stainless steel
exterior made of grinded stainless steel



Z/2N model

R-290 / *ecoline* / standard
interior made of „mirror" stainless steel
exterior made of grinded stainless steel



Z/AG/2N model

R-290 / *ecoline* / standard
interior made of „mirror" stainless steel
exterior made of grinded stainless steel

UPRIGHT FREEZERS FAT GN

We have named our cabinet "FAT" because we have given it 10 cm thick layer of ecological polyurethane foam insulation, guaranteeing excellent thermal performance. The strong housing construction made of galvanized coated steel is equipped with a swing door, which can be fitted with right or left opening on request.



model Z 770/FAT GN Inverter

width [cm]	77
depth [cm]	97
height[cm]	211
net capacity of the cabinet [l]	465,5


INVERTER



We made sure our cabinet is highly energy-efficient. It offers a daily energy consumption of 3.65 kWh and an annual consumption of 1332 kWh.



In the FAT cabinet, we use the eco-friendly refrigerant R290, which has no negative impact on the natural environment.



A 10-centimetre layer of insulation made of eco-friendly polyurethane foam provides excellent thermal parameters, ensuring high performance and efficiency of the unit.



Thanks to a practical solution - a tool-free removable condenser cover - you can easily and quickly carry out all necessary maintenance.



You can arrange the FAT cabinet to suit your needs. As standard, you receive a set of shelves on guides.



You can also use GN containers on the same guides.



The FAT cabinet is equipped with a full set of adjustable stainless-steel legs.



We have also added a practical door - opening mechanism integrated into the unit's.

SPECIALIST COOLERS

Waste cooler BIN2



model Z BIN2 Inverter

width [cm]	196
depth [cm]	90
height [cm]	128,5
usable capacity [l]	1200
waste bin capacity [l]	2x240

Waste bins aren't included in the equipment.



We have used an inverter aggregate in the BIN2 waste refrigerator, thanks to which the device consumes only 438 kWh per year! This is 4 times less than other devices of this type available on the market!



The thick insulation of the waste refrigerator's housing made of eco-friendly polyurethane foam means that it effortlessly maintains the set temperature, with very low electricity consumption.



You don't have to worry about the device being easily damaged as it is made from high quality, durable stainless steel.



The waste refrigerator allows for a total of up to 480 litres of waste to be stored in two separate containers.



We have ensured that loading and unloading the waste refrigerator is easy and convenient by fitting a special overrun threshold to facilitate the placing and removing of containers.



To prevent the front door seals from getting dirty, we have fitted a special canopy over them. This makes it easier for you to keep them clean, thus ensuring that the door seals remain tight



We have used a very simple siphon in the device, which is easy to disassemble and clean.



The waste refrigerator compartment is equipped with a lifting aid for the top lids, which also prevents the lids from falling uncontrolled, thus increasing user safety

Refrigerated cabinets CARGO - a series of specialized transport cabinets


Transport and logistics support

The CARGO refrigerated cabinet was created with the food, pharmaceutical and medical industries in mind. We created it to facilitate the transport of products that require refrigeration in combination with goods which do not need to be stored under cool conditions.

Safe transport is our priority

We have taken care to ensure the safety of the Cargo, so in the event of an excessive drop in voltage on the accumulator, the device will switch off to allow the transport vehicle to start up safely. When the cabinet is disconnected from the power supply, we have between 10 and 20 minutes, depending on the model, to connect to the next voltage source to maintain temperatures within nominal ranges.

We have designed the Cargo cabinet so that it can work in transport and at store.














HEATED SERVE OVER COUNTERS

SiX Line - DHBM

LINE OF COUNTERS EQUIPPED WITH 3 PCS. PROVIDERS ADAPTED TO ACCOMMODATE CONTAINERS.

The heated serve over counters will work well in shops at hot food stands, as well as in restaurant buffets or school canteens. Devices only have an open, uncooled storage space.



L-X/DHBM
cm - l. 134,5 / d. 120 / h. 121



L-X/DHBM
cm - l. 134,5 / d. 120 / h. 121

REFRIGERATED COUNTERS

Save energy with inverter technology! Devices equipped with an inverter engine are characterized even by 50% lower electricity consumption and quiet operation of the compressor.

INVERTER

GT Line

LINE OF REFRIGERATED COUNTERS WITH CONDENSATE DRAIN TO SEWER WITH INVERTER OR REMOTE COMPRESSOR (WITHOUT AGGREGATE), WITH HEIGHT ADJUSTMENT OF THE DISPLAY BASE AND THE POSSIBILITY OF COMBINING MODULES TO FORM REFRIGERATED LINES.

L-GT
cm - l. 134 / 259 / d. 116,5 / h. 133 / 125

In all counter lines, there is a possibility to choose LED lighting for dairy or meat products.



SiX Line

LINE OF OPEN OR CLOSED refrigerated COUNTERS WITH EASILY REPLACEABLE FRONT PANELS IN FURNITURE BOARD OR PAINTED STEEL. AVAILABLE WITH INVERTER COMPRESSOR, WITH THE POSSIBILITY OF COMBINING MODULES TO FORM REFRIGERATING LINES.

The SiX counter storage holds 4 to 8 EURO 2 containers



L-Xi
cm - l. 134,5 / 197 / d. 120 / h. 93

L-X
cm - l. 110 / 134,5 / 197 / d. 120 / h. 121



L-Si
cm - l. 134,5 / 197
d. 120 / h. 93

L-S
cm - l. 134,5 / 197
d. 120 / h. 129

L-X/NW
cm - dimensions 150x150
d. 120 / h. 121

L-Xi/NW
cm - dimensions 150x150
d. 120 / h. 93

L-X/NZ
cm - dimensions 145x145
d. 120 / h. 121

SiX Line - FISH

LINE OF REFRIGERATED COUNTERS WITH TUB CONTAINERS WITH THE POSSIBILITY OF DISPLAYING FISH ON ICE OR WITHOUT ICE, WITH OPEN, UNREFRIGERATED STORAGE SPACE AND WITH THE POSSIBILITY OF COMBINING MODULES.



L-X FISH
cm - l. 134,5 / d. 120 / h. 121

L-Xi FISH
cm - l. 134,5 / d. 120 / h. 93

L-S FISH
cm - l. 134,5 / d. 120 / h. 129

L-Si FISH
cm - l. 134,5 / d. 120 / h. 93

A Line

LINE OF REFRIGERATED COUNTERS WITH TEMPERED, STRAIGHT, DIAGONAL GLASS.



L-...	cm
A, A1, A2	l. 122, 137, 152, 179, 201 / d. 82, 90,107 / h. 122
A3	l. 125, 140, 155, 182, 204 / d. 107 / h. 122

It is available in four models (**A / A1 / A2 / A3**) which differ in equipment, side finish and body colour.

B Line

LINE OF REFRIGERATED COUNTERS WITH TEMPERED, CURVED GLASS.



L-...	cm
B, B1, B2	l. 79, 122, 137, 152, 179, 201 / d. 90, 107 / h. 122
B3	l. 82, 125, 140, 155, 182, 204 / d. 107 / h. 122

It is available in four models (**B / B1 / B2 / B3**) which vary in equipment, side finish and housing colour.

C/D Line

A LINE OF REFRIGERATED COUNTERS WITH TEMPERED, CURVED GLASS AND LIGHTED BOTTOM PLAFOND.



L-...	cm
C, D	l. 79, 122, 137, 152, 179, 201 / d. 90, 107 / h. 122
D3	l. 82, 125, 140, 155, 182, 204 / d. 107 / h. 122

It is available in three models (**C / D / D3**), varying in equipment, side finish and housing colour.


Linia E

LINE OF REFRIGERATED COUNTERS WITH TEMPERED, CURVED GLASS, STAINLESS STEEL TOP, PAINTED OR FURNITURE BOARD FRONTS AND WITH THE OPTION OF COMBINING MODULES IN LINES.



L-E1
cm - l. 80, 123, 138, 153, 180, 202 / d. 107 / h. 122

E1 Max storage holds 6 EURO 2 containers



L-E1 Max
cm - l. 202 / d. 107 / h. 12


Linia F

LINE OF REFRIGERATED COUNTERS WITH TEMPERED, STRAIGHT VERTICAL GLAZING, STAINLESS STEEL TOP, PAINTED OR FURNITURE BOARD FRONTS AND WITH THE OPTION OF COMBINING MODULES IN LINES.




L-F
cm - l. 80, 123, 138, 153, 180, 202 / d. 107 / h. 122


F Max storage holds 6 EURO 2 containers



L-F Max
cm - l. 202 / d. 107 / h. 122




L-F/NW
cm - dimensions 139x139 / d. 107 / h. 122




L-F/NZ
cm - dimensions 153x153 / d. 107 / h. 122


ADDITIONAL EQUIPMENT AND ACCESSORIES - REFRIGERATED COUNTERS



Glass shelf in display area




Cascade in the display area




Glass partition in display area




Granite worktop



Cover for cash registers or scales in steel



Cutting board



"Linen" stainless steel worktop



Railing - Front shelf for customer




Night cover



Set of 4 wheels with regulated foot



Platform for top containers in storage



Pollen filter (reusable)

CASH COUNTERS FOR REFRIGERATED COUNTERS

Thanks to the many variations in the length and height of our equipment, a standardised colour chart and decors, as well as solutions such as corner counters and neutral cash counters in various shapes and finish options, it is easy to put together a set that fits perfectly into your space. It is worth noting that some of the devices can be combined to form a refrigerated lines, which can be important in terms of saving space.

The checkout area is the best place to display impulse products. Additional items which customers add to their basket while waiting to be served by the cashier increase the final receipt value by up to 40%!



Cash counters
STRAIGHT




Cash counters
IMPULS



Cash counters
INTERNAL CORNER



Cash counters
EXTERNAL CORNER











CONFECTIONERY DISPLAY CASES

Line EXCELLENTE

Confectionery display cases are essential equipment for every confectionery shop, but they can also be used in other places, such as a grocery shop, café, restaurant or even a gas station.

Designed to preserve taste

In all confectionary display cases we have used the **ecological R-290 refrigerant** with whom you will take care for the environment.

We have built into models C and CL the **automatic condensate evaporation system**.

You will keep freshness of the products as we have used in the models C, CL and C SL the **dynamic cooling system and air curtain**s. This system protects the sweets every time the windshield is open.

Easy service


Thanks to the possibility of **lifting up the front glass** in model C LN you can easily keep display area clean, because you have access to every nook and cranny.

With an easy set up in mind

In the Excellente line you can choose between sliding or hinged doors.



Sliding door | Hinged door










Line EXCELLENTE

C-C

INVERTER



Display case also available in a neutral version

Parameters (cm)

length **100 / 137**

depth **79,5**, height **146**

exposition dimensions: shelf **48x91,5 - 3 pcs. / 48x128,5 - 3 pcs.**

bottom exposition **50x93 / 50x130**

shelves spacing **1x26; 2x20; 1x14** adjustable every 5 cm

refrigerant (HC) **R-290**


rated voltage **230 V~ / 50 Hz**

defrosting **automatic**

Line EXCELLENTE

C-C L

INVERTER



Display case also available in a neutral version

Parameters (cm)

length **100 / 137**,

depth **79,5**, height **124**

exposition dimensions: shelf **48x91,5 - 2 pcs. / 48x128,5 - 2 pcs.**

bottom exposition **50x93 / 50x130**

shelves spacing **1x26; 1x20; 1x14** adjustable every 5 cm


refrigerant (HC) **R-290**

rated voltage **230 V~ / 50 Hz**

defrosting **automatic**

Line EXCELLENTE

C-C LN



Display case only available in a neutral version

Parameters (cm)

length **100**

depth **78**

height **120**

exhibition dimensions: glass shelf **97,6 x 45,5**

bottom height **95,8 x 75,2**

shelves spacing **31,4** (from the bottom of the exhibition to the display shelf) **29,2** (from the display shelf to the glass roof of the display case)

rated voltage **230 V~ / 50 Hz**


Neutral display cases **C LN i CN SL mini** have **2 drawers** on the service side.



Thanks to the **hinged glass** panel, keeping the C and CL models clean is easy, and you gain convenient access to the products.



We have made **doors of composite, low emission glass,** due to which you will ensure optimal products' storage conditions and their freshness and taste.





We designed the **sliding bottom** of the display with customer service in mind.
The C LN display cabinet is perfect for products that do not require refrigeration.

RAPA offers both refrigerated and neutral confectionery display cases as well as matching complementary furniture, so that a set for different types of products can be easily assembled. And if you need a really spacious refrigerated display, you can order devices from the Excellente C series prepared to be combined into a refrigerated line.

Line EXCELLENTE

C-C SL H

INVERTER



Parameters (cm)
length **60**
depth **82,** height **171,5**
exposition dimensions: shelf
48x51,5 - 5 szt.
bottom height
50x50,5
shelves spacing
1x26; 2x20; 1x14
refrigerant (HC)
R-290
rated voltage
230 V~ / 50 Hz
defrosting
automatic

For your time

We give you a possibility of ordering the **rotary wheels** which will help you to position the device at any part of the room. Thanks to the **adjustable foot**, the device will stand stable. We have made all of the panes and shelves of **tempered glass**. It provides extra safety for you and your customers.





version with upper worktop

Line EXCELLENTE

C-C NZ

INVERTER

Parametry (cm)
length **120**
depth **120**
height **146**



Line EXCELLENTE

C-C SL mini

(S i SR)

The mini display case
is available in refrigerated
and neutral versions










Line EXCELLENTE

C-C SL

INVERTER (S i SR)




Display case also available in a neutral version

Parameters (cm)
length **60 / 100 / 137**
depth **79,5**, height **131,5**
exposition dimensions: shelf
48x51,5 / 48x91,5 / 48x128,5
bottom height
50x50,5 / 50x93 / 50x130
shelves spacing adjustable every 5 cm
1x26; 2x20; 1x14
refrigerant (HC)
R-290
rated voltage
230 V~ / 50 Hz
defrosting
automatic

Line EXCELLENTE

C-CN SL mini (S i SR)




Display case also available in a inverter - contact with Customer Service

Parameters (cm)
length **100**
depth **79,5**
height **90** (**+1,7 -** with worktop)
exposition dimensions:
glass shelf
48 x 91,5
bottom height
50 x 93
shelves spacing adjustable every 5 cm
26 (from the bottom of the exhibition to the display shelf)
15 from the display shelf to the glass roof of the display case)
rated voltage
230 V~ / 50 Hz

Line EXCELLENTE

C-C SL NZ




Parametry (cm)
length **120**
depth **120**
height **131,5**
exposition dimensions:
glass shelf
94,5x94,5 - 3 szt.
bottom height
101x101
shelves spacing adjustable every 5 cm
1x26; 2x20; 1x16
refrigerant (HC)
R-290
rated voltage
230 V~ / 50 Hz
defrosting
automatic

Save energy with inverter technology!




INVERTER

One of the biggest advantages of the new Excellente C-C SL is its high energy efficiency. This is due to the use of an **inverter compressor**.



Devices equipped with an inverter engine are characterized with: **lower electricity consumption** and **quiet operation of the compressor**.






Hinged door

CONFECTIONERY DISPLAY CASES

Line EXCELLENTE




Conveniently arrange the sales space in your shop with the option of linking displey into refrigerated lines.



Products are at your fingertips due to extra space on the top of the device and a tilting windshield with actuator system.



You will design perfect confectionery product's display due to vertical and top LED lighting.



You will keep freshness of the products as we have used the dynamic cooling system and air curtains



We have made all of the panes, table top and shelves of tempered glass. It provides extra safety for you and your customers.



The hinged doors make it easy to insert larger products, such as wide trays of cakes, into the display and arrange the interior.



In the C-CN SL mini model, you get two drawers on the seller's side.



We applied intuitive, electronic temperature regulator with easy to read display.



We ensure high energy efficiency through the use of an inverter compressor.



Choose a space without limits

You can freely arrange the space, because refrigerated display cases can be set in lines and combined with other devices from the EXCELLENTE line to gain additional space for display or work.













CONFECTIONERY DISPLAY CASES

Line A


Attract sight

You will highlight all the advantages of your products due to the **energy-saving LED lighting**.

You will gain additional space as you can store products that don't require cooling **on top of the display**.



C-A



Parameters (cm)

length **102 / 139**

depth **89**, height **146**

exposition dimensions: shelf

38x93 - 3 pcs. / 38x130 - 3 pcs.

bottom exposition

50x93 / 50x130

shelves spacing

1x17; 2x19; 1x25

refrigerant (HC)

R-290

rated voltage

230 V~ / 50 Hz

defrosting


automatic



Display case also available in a neutral version



















CONFECTIONERY DISPLAY CASES

Line B


Designed to preserve taste

In all confectionary display cases we have used the **ecological R-290 refrigerant** with whom you will take care for the environment.

Thanks to the **hinged glass** panel, keeping clean is easy, and you gain convenient access to the products.



C-B



Display case also available in a neutral version

Parameters (cm)
length **102 / 139**
depth **89**, height **146**
exposition dimensions: shelf
38x93 - 3 pcs. / 38x130 - 3 pcs.
bottom exposition
50x93 / 50x130
shelves spacing
1x17; 2x19; 1x25
refrigerant (HC)
R-290
rated voltage
230 V~ / 50 Hz
defrosting
automatic



















REFRIGERATED DISPLAY CASES AKM
Inverter cooling technology

Refrigerated display cases are devices that provide optimal storage conditions for confectionery and food products, not only keeping them fresh, but also displaying them brilliantly.

The greatest advantage of the display case is certainly its **elegant and generous display space** and **panoramic windows**, which allow the products placed inside to be attractively presented and allow customers to see them clearly from all sides. Refrigerated display cases can be used in cafés, restaurants, shopping mall traffic halls, banquet halls or retail spaces.


As standard, the devices have **energy-saving LED lighting** and **electronic temperature controller with clear display.**

Model AKM


width	120,5; 140,5; 160,5; 180,5; 200,5; 220,5 cm
depth	74,5 cm
height	199 cm
exposition width	110; 130; 150; 170; 190; 210 cm
exposition depth	62 cm
exposition height	150 cm
height of stools	20; 40; 60 cm
refrigerant (HC)	R-290
rated power	230 V~ / 50 Hz
defrosting	automatic

Attention: after replacing legs for wheels, the height of the device is 204 cm, with a platform 234,5 cm






Possibility of **painting the device and shelves in a RAL colour** from the RAPA colour chart or an individual colour chosen by the customer.



platform

It is possible to order a **platform for the refrigerated display case.**

Choice between **sliding** or **hinged doors**.




levels of adjustable shelves

The AKM model is fitted with **levels of shelves.**

Size for every interior

You will gain extra space, because we have prepared a refrigerator in **6 different sizes**.





NEUTRAL CASH COUNTERS FOR REFRIGERATED DISPLAY CASES

You can easily match the complementary RAPA neutral furniture
- cash counters and bakery shelving - to a set of confectionery display cases.



LK-CA



LK-CB

LK-CA / LK-CB

Parameters (cm)
length **90**
depth **89**
height **96**



LK-CC

LK-CC

Parameters (cm)
length **90**
depth **78**
height **90**

BAKERY AND SHOP SHELVING



RP-A RP-B



RP-A1



RP-B1

RP-A
RP-B


Parameters (cm)
width from **64** to **208**
depth **80 / 100**
height **203**

RP-A1
RP-B1

Parameters (cm)
width from **64** to **208**
depth **80 / 100**
height **198**



RP-C



RP-C

Parameters (cm)
width **150**
depth **50**
height **200**



MULTIDECK REFRIGERATED DISPLAYS

Refrigerated displays RCh-O i RCh-SR

Dynamic cooling ensures even temperature distribution throughout the chamber, and due to the tempered glass you gain an attractive exposition and safety of your customers and employees.









freestanding glazed multideck displays

lenght *[cm]*	133; 196
depth *[cm]*	70
height *[cm]*	202
exposition surface *[m2]*	2,23 ; 3,36

Cooling modules for linked in lines are shorter by 8 cm



Energy-saving LED lighting You can choose it according to the products type.



Due to the **perforated night blind** with a decelerator, you will limit energy consumption when the store will be closed.




In refrigerated displays SR we have mounted **glazed sliding door**.



You will take care of safety, because the sides are made of **tempered glass and stainless steel frames**.




You will display products, which look best vertically, due to the **crossbars with "spitz" type hooks**.



You will gain new opportunities to display, because we can mount **crossbars with "s" type hooks** inside, for you.



You will mark the products clearly, because we have mounted **edge strip** on shelves where you can put your price tags.



Due to the **possibility of tilting the shelves** you get more options to display goods, and your customers have convenient access to the products.



You can easily maintain the display clean, because we have made both the interior and shelves in **stainless steel.**



You can clean **condenser** easily, because the access to it does not require use of tools.



You can easily set up the best temperature, because we have applied **electronic controller** with a clear display.



You can adjust the device to yours interiors. We designed the displays in a version with a lower front **painted steel, stainless steel or made of furniture board panels.**


Refrigerated displays COMPACT REMOTE

model Compact SR remote


length [cm]	196
depth [cm]	70
height [cm]	214,5
display area [m2]	4,5 m2








Can be linked in lines



Large display area



Multiple display options
- shelves, crossbars with "s" or "spike"




Energy-efficient LED lighting

Refrigerated displays GT S REMOTE

model GT S remote

length [cm]	259; 196; 133
depth [cm]	100
height [cm]	221
display area [m2]	6,55 ; 4,91; 3,26






Possibility of arranging refrigeration lines



External aggregate cooling



Glazed hinged doors



Condensate drainage to sewerage system

REFRIGERATED DISPLAY POS-A - Use the potential of the checkout zone

Did you know that a well-designed checkout area can boost sales of your products by 20 or even 30%?

Attract your customers' attention with the refrigerated multideck refrigerated display, that we have designed with impulse shopping in mind.

model POS-A	
width *[cm]*	72,5; 92,5
depth *[cm]*	66
height *[cm]*	145,5

Why POS-A?

- Because the checkout area is the place where every customer ends their shopping. With the POS-A display, you will make sure that the products are clearly displayed and at the fingertips.
- Because it makes it easier to keep order and arrange goods in the most desirable zone of the store.
- Because due to the right temperature, impulse-bought products will delight your customer with their taste.



You will gain extra space, because on top you can put products, that do not require refrigeration.



You will create attractive exposition due to **energy-saving LED lighting.**



You will strengthen your sales, because we have equipped the device with **price strips**, so the customer knows exactly how much to pay.



You will ensure safe shopping because we have used **durable, tempered glass** on sides.



You will help to make a buying decision, because products will be placed at **the best height**.



You will save the time needed for maintenance, because access to **the condenser does not require use of tools**, and the ventilation grid it is closed with a magnet.



You will take care of the environment because POS-A has an **ecological refrigerant R-290** and takes care of your products, by distributing cool airthrouh perforated back.



You can set the device freely and level it easily, due to **adjustable legs**.



You can easily **choose the color**, which will highlight your brand and attract the customer's attention.



You will keep the taste and freshness of products for longer, because they will be stored in **low temperature**.



REFRIGERATED ISLANDS WB1 - Boost your sales in self-service mode

Are you carefully planning the customer's path and want
the products to be at their fingertips?
Provide unlimited access to the products with refrigerated island,
that we have designed for safe and flexible shopping.


model WB1 141/127	
length *[cm]*	141
depth *[cm]*	127
height *[cm]*	96



You will easily display all of the products, because we have made **the sides out of transparent materials**, that do not limit visibility.




You will take care of the environment, because the device uses the **R-290** refrigerant.



You can easily create attractive exhibition, because the products are available from all **4 sides**.




Go ahead and plan commercial space, due to the **stainless steelbuffers**, the island can be placed safely even in very busy shopping aisles.



You will provide fresh products, due to **dynamic cooling**.





You will easily clean the condenser, because the access to it does not require use of tools.



You will easily set up the best temperature, because we have installed a **temperature controller with clear display**.



You can easily set the device in any place because we have mounted **4 wheels (2 of them have brakes).**



You will increase the exhibition space, because you can **connect the islands in series lines**.



You will match the island to every interior, because we have prepared **several colours** that you can choose from.

STAINLESS STEEL TABLES SG

Material for special tasks

Stainless steel is by far the best choice if you are thinking about professional kitchen equipment. We wrote more extensively about it in our earlier article. When choosing a material for catering tables, we went a step further and decided on acid-resistant stainless steel AISI 304. Its main advantages include high resistance to mechanical damage and resistance to acids found in food products such as vegetables, fruit, meat or milk. Of considerable importance is also the ease of cleaning - the smooth surface of the table prevents the accumulation of dirt and allows you to quickly and easily remove any impurities.


Strong construction


A table in a professional kitchen should be strong and stable. This guarantees comfort and safety of work in a dynamic and demanding environment. That's why we relied on welded construction and equipped the furniture with adjustable feet with a range of -5/+15 mm. This allows you to adjust them as best as possible to the place where they will be placed and give you a secure working space.


A table to suit your needs


We are well aware that in a small kitchen, every centimeter is at a premium, and sometimes it is difficult to create a comfortable work space from standard furniture available on the market. Therefore, in our offer there is an option to adjust the length of the table to your individual size in the range from 1000 to 2000 mm. If you need additional storage space, you can choose between table models equipped with one or two shelves or with lockable cabinets with shelves and hinged or sliding doors. We make tables 600 or 700 mm deep and 850 mm high.


















Mix freely and create sets of RAPA devices!


„Mix&Match" formula involves the possibility of freely combining the items available in the offer and making them into compatible sets that always go well together. Interior design or furniture companies are also happy to use it. It is all about designing the individual models in such a way that they fit together in different variations and combinations. We also used this solution! Find out how you can mix and match our devices.





Combine devices by function

Depending on what kind of premises you have and what conveniences you and your employees need, you can freely combine complementary devices from one or different lines. Thanks to the many variations in the length and height of our equipment, a standardised colour chart and decors, as well as solutions such as corner counters and neutral cash counters in various shapes and finish options, it is easy to put together a set that fits perfectly into your space. It is worth noting that some of the devices can be combined to form a refrigerated lines, which can be important in terms of saving space, which is always at a premium.



RAPA

MANUFACTURER OF REFRIGERATION EQUIPMENT

The best equipment for your business!

- high quality manufacturing
- modern solutions and design
- short delivery times
- professional technical support
- openness to individual projects



rapa.pl/en

The "RAPA" company reserves the right to make changes in the characteristics and appearance of manufactured devices. The information provided in this folder is not binding and does not constitute an offer within the meaning of the Civil Code.