

RAPA

REFRIGERATION DEVICES MANUFACTURER

POS-A

MULTIDECK REFRIGERATED DISPLAY



www.rapa.pl/en

RAPA sp. j.
9 Ceramiczna Street
20-149 Lublin, Poland

+48 81 718 46 51
rapa@rapa.lublin.pl

Use the potential of the checkout zone with POS-A display

Did you know that a well-designed checkout area can boost sales of your products by 20 or even 30%?


Attract your customers' attention with the refrigerated multideck refrigerated display, that we have designed with impulse shopping in mind.

Why POS-A?

- Because the checkout area is the place where every customer ends their shopping. With the POS-A display, you will make sure that the products are clearly displayed and at the fingertips.
- Because it makes it easier to keep order and arrange goods in the most desirable zone of the store.
- Because due to the right temperature, impulse-bought products will delight your customer with their taste.



You will gain extra **space**, because on top you can put products, that do not require refrigeration.



You will create attractive exposition due to **energy-saving LED lighting**.



You will strengthen your sales, because we have equipped the device with **price strips**, so the customer knows exactly how much to pay.




You will ensure safe shopping because we have used **durable, tempered glass** on sides.



You will help to make a buying decision, because products will be placed at **the best height**.



You will save the time needed for maintenance, because access to **the condenser does not require use of tools**, and the ventilation grid it is closed with a magnet.



You will take care of the environment because POS-A has an **ecological refrigerant R-290** and takes care of your products, by distributing cool air through perforated back.



You can set the device freely and level it easily, due to **adjustable legs**.



You can easily **choose the color**, which will highlight your brand and attract the customer's attention.



You will keep the taste and freshness of products for longer, because they will be stored in **low temperature**.

STANDARD EQUIPMENT

Refrigerating unit

- 3rd climatic class
- Plug-in unit powered with ecological R-290 refrigerant
- Fan assisted cooling (dynamic)
- Electronic temperature controller with display
- Automatic condensate evaporation

Housing

- Sides made of tempered glass
- Housing painted in colour RAL 7021 matt or in colour chosen from the RAPA colour chart
- Vent grid lockable with magnet
- Adjustable legs
- Main internal frame in refrigerating area made of stainless steel

Exposition

- Set of shelves in the colour of housing with shelf edge strips
- Non-refrigerated exposition space on top
- Top LED light - cold white
- Exposition interior in the colour of housing

ADDITIONAL EQUIPMENT

Refrigerating unit

- Protection of the evaporator with a preservative coating

Housing and exposition

- Set of 4 rotary wheels (including 2 pcs. with brake)
- Painting of device in individual RAL colour chosen by customer-
- LED lighting of each shelf (3 pcs.) - cold white

ACCESSORIES

- Pollen filter
- Shelf edge strip

TECHNICAL DATA


climatic class	3	
temperature range	+2°C ÷ +10°C	
refrigerant (HC)	R-290	
rated voltage	230V~ / 50 Hz	
rated power	POS-A 725	750 W
	POS-A 925	800 W
defrosting	automatic	
condensate evaporation	automatic	

freestanding device

width [cm]	72,5	92,5
depth [cm]	66	66
height [cm]	145,5	145,5
refrigerated exposition space [m ²]	0,62	0,81
refrigerated exposition space [m ²]	0,21	0,27

COLOUR

housing & exposition



Example finish:

Housing and exposition: RAL 1021 Rape yellow - gloss