



MANUFACTURER OF REFRIGERATION EQUIPMENT

Confectionery display cases

Lines A / B / EXCELLENTE C



rapa.pl/en



RAPA sp. j. • Ceramiczna 9, 20-149 Lublin, Poland
+48 790 444 619 • +48 790 444 631 • rapa@rapa.lublin.pl


Sweet moments last longer with RAPA devices!

Confectionery display cases are essential equipment for every confectionery shop, but they can also be used in other places, such as a grocery shop, café, restaurant or even a gas station. The biggest advantage of display cases is undoubtedly their elegant and generous exposition space, which makes it possible to present the assortment placed inside in an attractive way, and allows customers to see it thoroughly from all sides.

Attract sight


You will highlight all the advantages of your products due to the **energy-saving LED lighting**.

You will gain additional space as you can store products that don't require cooling **on top of the display**.



C-A

Parameters (cm)
 length 102 / 139
 depth 89, height 146
 exposition dimensions: shelf
 38x93 - 3 pcs. / 38x130 - 3 pcs.
 bottom exposition
 50x93 / 50x130
 shelves spacing
 1x17; 2x19; 1x25
 refrigerant (HC)
R-290
 rated voltage
 230 V~ / 50 Hz
 defrosting
automatic



Display case also available in a neutral version



You can choose the finish of your device from the **wide range of colors and decors**.

Designed to preserve taste


In all confectionery display cases we have used the **ecological R-290 refrigerant** with whom you will take care for the environment.

You will ensure safety, because the devices A, B, C, CL and C SL, use durable, **tempered glass**.



C-B

Parameters (cm)
 length 102 / 139
 depth 89, height 146
 exposition dimensions: shelf
 38x93 - 3 pcs. / 38x130 - 3 pcs.
 bottom exposition
 50x93 / 50x130
 shelves spacing
 1x17; 2x19; 1x25
 refrigerant (HC)
R-290
 rated voltage
 230 V~ / 50 Hz
 defrosting
automatic



Display case also available in a neutral version



Model B attracts the customer's attention with a large **illuminated plafond**, which you can additionally brand with, for example, your logo.

We have built into models A, B, C and CL the **automatic condensate evaporation system**.


You will keep freshness of the products as we have used in the models A, B, C, CL and C SL the **dynamic cooling system and air curtains**. This system protects the sweets every time the windshield is open.



Line EXCELLENTE

C-C

Parameters (cm)
 length 100 / 137
 depth 79,5, height 146
 exposition dimensions: shelf
 48x91,5 - 3 pcs. / 48x128,5 - 3 pcs.
 bottom exposition
 50x93 / 50x130
 shelves spacing adjustable every 5 cm
 1x26; 2x20; 1x16
 refrigerant (HC)
R-290
 rated voltage
 230 V~ / 50 Hz
 defrosting
automatic




Display case also available in a neutral version

Line EXCELLENTE

C-C L

Parameters (cm)
 length 100 / 137,
 depth 79,5, height 124
 exposition dimensions: shelf
 48x91,5 - 2 pcs. / 48x128,5 - 2 pcs.
 bottom exposition
 50x93 / 50x130
 shelves spacing adjustable every 5 cm
 1x26; 1x20; 1x14
 refrigerant (HC)
R-290
 rated voltage
 230 V~ / 50 Hz
 defrosting
automatic



Display case also available in a neutral version

RAPA offers both refrigerated and neutral confectionery display cases as well as matching complementary furniture, so that a set for different types of products can be easily assembled. And if you need a really spacious refrigerated display, you can order devices from the Excellente C series prepared to be combined into a refrigerated line.

With an easy set up in mind

We have made doors of composite, low emission glass, due to which you will ensure optimal products' storage conditions and their freshness and taste. In the **Excellente** line you can **choose between sliding or hinged doors**. In the **A and B lines**, **only sliding doors** are available.




For your time

We give you a possibility of ordering the **rotary wheels** which will help you to position the device at any part of the room. Thanks to the **adjustable foot**, the device will stand stable. We have made all of the panes and shelves of **tempered glass**. It provides extra safety for you and your customers.




Easy service

Thanks to the possibility of **lifting up the front glass** in model C LN you can easily keep display area clean, because you have access to every nook and cranny.




Line EXCELLENTE C-C SL INVERTER (S i SR)



Display case also available in a neutral version

Parameters (cm)	
length	60 / 100
depth	79,5, height 131,5
exposition dimensions: shelf	48x91,5 - 3 szt.
bottom height	50x50,5 / 50x93
shelves spacing	adjustable every 5 cm
	1x26; 2x20; 1x16
refrigerant (HC)	R-290
rated voltage	230 V~ / 50 Hz
defrosting	automatic


Line EXCELLENTE C-CN SL mini (S i SR)



Display case also available in a inverter - contact with Customer Service

Parameters (cm)	
length	100
depth	79,5
height	90 (+1,7 - with worktop)
exposition dimensions: glass shelf	48 x 91,5
bottom height	50 x 93
shelves spacing	adjustable every 5 cm
	26 (from the bottom of the exhibition to the display shelf)
	15 (from the display shelf to the glass roof of the display case)
rated voltage	230 V~ / 50 Hz

Line EXCELLENTE C-C LN



Display case only available in a neutral version

Parameters (cm)	
length	100
depth	78
height	120
exposition dimensions: glass shelf	97,6 x 45,5
bottom height	95,8 x 75,2
shelves spacing	31,4 (from the bottom of the exhibition to the display shelf)
	29,2 (from the display shelf to the glass roof of the display case)
rated voltage	230 V~ / 50 Hz

Save energy with inverter technology!



One of the biggest advantages of the new Excellente C-C SL is its high energy efficiency. This is due to the use of an **inverter compressor**.

Devices equipped with an inverter engine are characterized with: **lower electricity consumption** and **quiet operation of the compressor**.

We designed the **sliding bottom** of the display with customer service in mind. The C LN display cabinet is perfect for products that do not require refrigeration.

Furniture for the confectionery industry

You can easily match the complementary RAPA neutral furniture - cash counters and bakery shelving - to a set of confectionery display cases.



Neutral cash counters



Bakery and shop shelving

Neutral cash counters



LK-CA



LK-CB

LK-CA / LK-CB

Parameters (cm)
length 90
depth 89
height 96



LK-CC



LK-CC

Parameters (cm)
length 90
depth 78
height 90

Bakery and shop shelving



RP-A



RP-B

RP-A RP-B

Parameters (cm)
width
from 64 to 208
depth 80 / 100
height 203



RP-A1



RP-B1

RP-A1 RP-B1

Parameters (cm)
width
from 64 to 208
depth 80 / 100
height 198



RP-C

RP-C

Parameters (cm)
width 150
depth 50
height 200



Foto: Confectionery and bakery „Bagietka”, Poland - devices from the Excellente C series and shop shelving RP-C

More
realizations
at rapa.pl/en



Configure
selected
devices

